

10/685,870

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal201txs

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 SEP 01 New pricing for the Save Answers for SciFinder Wizard within
STN Express with Discover!
NEWS 4 OCT 28 KOREAPAT now available on STN
NEWS 5 NOV 18 Current-awareness alerts, saved answer sets, and current
search transcripts to be affected by CERAB, COMPUAB, ELCOM,
and SOLIDSTATE reloads
NEWS 6 NOV 30 PHAR reloaded with additional data
NEWS 7 DEC 01 LISA now available on STN
NEWS 8 DEC 09 12 databases to be removed from STN on December 31, 2004

NEWS EXPRESS OCTOBER 29 CURRENT WINDOWS VERSION IS V7.01A, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 11 AUGUST 2004
NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 16:48:41 ON 09 DEC 2004

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 16:48:50 ON 09 DEC 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 American Chemical Society (ACS)

10/685,870

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 8 DEC 2004 HIGHEST RN 795251-52-4
DICTIONARY FILE UPDATES: 8 DEC 2004 HIGHEST RN 795251-52-4

TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004



Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10685870.str



chain nodes :

23 24 25 26 28 29 31 32 33 34 36

ring nodes :

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22

chain bonds :

1-29 4-28 10-14 11-25 12-24 13-31 15-32 16-26 19-23 24-33 25-36 26-34

ring bonds :

1-2 1-6 2-3 2-20 3-4 3-22 4-5 5-6 5-7 6-10 7-8 8-9 8-17 9-10 9-19
11-12 11-16 12-13 13-14 14-15 15-16 17-18 18-19 20-21 21-22

exact/norm bonds :

1-29 4-28 9-19 10-14 11-25 12-24 13-31 15-32 16-26 19-23 24-33 25-36
26-34

exact bonds :

2-20 3-22 5-7 6-10 7-8 8-9 8-17 9-10 17-18 18-19 20-21 21-22

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6 11-12 11-16 12-13 13-14 14-15 15-16

isolated ring systems :

containing 1 : 11 :

10/685,870

G1:H,Ak

G2:H,P

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom
20:Atom 21:Atom 22:Atom 23:CLASS 24:CLASS 25:CLASS 26:CLASS 28:CLASS
29:CLASS 31:CLASS 32:CLASS 33:CLASS 34:CLASS 36:CLASS

L1 STRUCTURE UPLOADED

=> s l1

SAMPLE SEARCH INITIATED 16:49:12 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 179 TO ITERATE

100.0% PROCESSED 179 ITERATIONS 50 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 2778 TO 4382
PROJECTED ANSWERS: 915 TO 1925

L2 50 SEA SSS SAM L1

=> d scan

L2 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-[[4,6-O-[(1R)-3-methyl-2-butenylidene]- β -D-glucopyranosyl]oxy]-, (5R,5aR,8aR,9S)- (9CI)
MF C32 H36 O13


Absolute stereochemistry.

The chemical structure is a complex polycyclic molecule, likely a steroid or terpenoid derivative. It features a central fused ring system with several substituents and stereocenters. Key features include:

- A phenyl ring at the top with a hydroxyl group (OH) at the para position and two methoxy groups (OMe) at the ortho positions.
- A five-membered ring containing a carbonyl group (C=O) and a methoxy group (OMe).
- A central ring system with multiple stereocenters labeled R and S, and hydrogens (H) shown with wedges and dashes.
- A side chain on the left ending in a vinyl group (Me₂C=).
- Various hydroxyl (OH) and methoxy (OMe) groups attached to the rings.

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):2

Absolute stereochemistry. Rotation (-).




Page 4

10/685,870


L2 50 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5-[3,5-dimethoxy-4-(phosphonooxy)phenyl]-9-[[4,6-O-ethylidene-2,3-bis-O-(phenoxyacetyl)- β -D-glucopyranosyl]oxy]-5,8,8a,9-tetrahydro-, [5R-[5 α ,5a β ,8a α ,9 β (R*)]]- (9CI)
MF C45 H45 O20 P
CI COM

Absolute stereochemistry.

PAGE 1-A



PAGE 2-A



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

=> s 11 ful

FULL SEARCH INITIATED 16:51:22 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 3667 TO ITERATE

100.0% PROCESSED 3667 ITERATIONS

SEARCH TIME: 00.00.01

1531 ANSWERS

10/685,870

L3 1531 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

157.10

157.31

FILE 'CAPLUS' ENTERED AT 16:51:33 ON 09 DEC 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 9 Dec 2004 VOL 141 ISS 24

FILE LAST UPDATED: 8 Dec 2004 (20041208/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l3

L4 7295 L3

=> s l4 and podophyllotoxin

1608 PODOPHYLLOTOXIN

76 PODOPHYLLOTOXINS

1623 PODOPHYLLOTOXIN

(PODOPHYLLOTOXIN OR PODOPHYLLOTOXINS)

L5 510 L4 AND PODOPHYLLOTOXIN

=> s l5 and cancer

231350 CANCER

33128 CANCERS

240271 CANCER

(CANCER OR CANCERS)

L6 101 L5 AND CANCER

=> s l6 and tetracyclic

4682 TETRACYCLIC

13 TETRACYCLICS

4692 TETRACYCLIC

(TETRACYCLIC OR TETRACYCLICS)

L7 0 L6 AND TETRACYCLIC

=> s l6 and mandrake plant

41 MANDRAKE

727184 PLANT

404656 PLANTS

900577 PLANT

(PLANT OR PLANTS)

10/685,870

0 MANDRAKE PLANT
(MANDRAKE (W) PLANT)
L8 0 L6 AND MANDRAKE PLANT

=> s l6 and mandrake

41 MANDRAKE
L9 1 L6 AND MANDRAKE

=> d l9 ibib hitstr abs

L9 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1997:79634 CAPLUS

DOCUMENT NUMBER: 126:112638

TITLE: Etoposide phosphate: what, why, where, and how?

AUTHOR(S): Schacter, Lee

CORPORATE SOURCE: Department of Medicine, Division of Medical Oncology,
Yale Cancer Center, New Haven, CT, USA

SOURCE: Seminars in Oncology (1996), 23(6, Suppl. 13), 1-7

CODEN: SOLGAV; ISSN: 0093-7754

PUBLISHER: Saunders

DOCUMENT TYPE: Journal; General Review

LANGUAGE: English

IT 33419-42-0, Etoposide 117091-64-2, Etoposide phosphate


RL: ADV (Adverse effect, including toxicity); BAC (Biological activity or
effector, except adverse); BPR (Biological process); BSU (Biological
study, unclassified); THU (Therapeutic use); BIOL (Biological study); PROC
(Process); USES (Uses)

(etoposide and etoposide phosphate comparative pharmacokinetics and
pharmacodynamics)

RN 33419-42-0 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 9-[[4,6-O-(1R)-
ethylidene-β-D-glucopyranosyl]oxy]-5,8,8a,9-tetrahydro-5-(4-hydroxy-
3,5-dimethoxyphenyl)-, (5R,5aR,8aR,9S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).




RN 117091-64-2 CAPLUS

10/685,870

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5-[3,5-dimethoxy-4-(phosphonooxy)phenyl]-9-[[4,6-O-(1R)-ethylidene-β-D-glucopyranosyl]oxy]-5,8,8a,9-tetrahydro-, (5R,5aR,8aR,9S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



AB A review with 27 refs. The **podophyllotoxin** derivs. etoposide and teniposide are active in the treatment of a variety of malignant conditions. Both represent chemical modifications of podophyllin, an extract of

Podophyllum peltatum (May apple, **mandrake**, Indian apple, wild lemon, or duck's foot), a plant long used as a folk remedy and recognized in the 19th century to be effective in the treatment of **cancer**.

While etoposide is active in the treatment of many **cancers** and is widely used, it has a number of limitations due to its lack of water solubility

Etoposide phosphate (Etopophos; Bristol-Myers Squibb Company, Princeton, NJ) is a water-soluble prodrug of etoposide that is rapidly and completely converted to the parent compound after i.v. dosing. The pharmacokinetic profile of etoposide after treatment with either etoposide or etoposide phosphate is identical. Toxicity and clin. activity also are the same. Because etoposide phosphate is water soluble and can be made up to a

concentration

of 20 mg/mL, however, it can be given as a 5-min bolus, in high doses in small vols., and as a continuous infusion. Furthermore, it is not formulated with polyethylene glycol, polysorbate 80 (Tween; ICI Americas, Wilmington, DE), and ethanol, and does not cause acidosis when given at high doses. The easier-to-use etoposide phosphate represents an improved formulation of etoposide.

REFERENCE COUNT: 27 THERE ARE 27 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> FIL STNGUIDE
COST IN U.S. DOLLARS

SINCE FILE TOTAL
ENTRY SESSION

10/685,870

FULL ESTIMATED COST	24.48	181.79
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-0.70	-0.70

FILE 'STNGUIDE' ENTERED AT 17:03:49 ON 09 DEC 2004
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE
AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Dec 3, 2004 (20041203/UP) ..

=> s l6 and desoxypodophyl?
COMBINATION OF STRUCTURE AND TEXT TERMS NOT VALID
The query entered contains both search terms created by
structure-building or screen commands and text search terms. L#s
created via the STRUCTURE or SCREEN commands must be searched in the
structures files separately from text terms or profiles. The L#
answer sets from structure searches can be used in crossover searches
and can be combined with text terms.

=> file caplus		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	1.02	182.81
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-0.70

FILE 'CAPLUS' ENTERED AT 17:14:17 ON 09 DEC 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN. Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 9 Dec 2004 VOL 141 ISS 24
FILE LAST UPDATED: 8 Dec 2004 (20041208/ED)

This file contains CAS Registry Numbers for easy and accurate
substance identification.

=> s l6 and desoxypodophyl?
57 DESOXYPODOPHYL?
L10 3 L6 AND DESOXYPODOPHYL?

=> d l10 ibib hitstr abs 1-3

10/685,870

L10 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2004:333694 CAPLUS

DOCUMENT NUMBER: 140:339123

TITLE: Preparation of **podophyllotoxin** derivatives
as anticancer compounds

INVENTOR(S): Shi, Qian; Wang, Hui-kang; Oyama, Masayoshi; Vance,
John Robert; Chen, Ming S.

PATENT ASSIGNEE(S): Plantaceutica Inc., USA

SOURCE: PCT Int. Appl., 52 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004033423	A2	20040422	WO 2003-US32547	20031014
WO 2004033423	A3	20040729		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE,
GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK,
LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ,
OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES,
FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR,
BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

US 2004138288	A1	20040715	US 2003-685870	20031014
---------------	----	----------	----------------	----------

PRIORITY APPLN. INFO.: US 2002-417785P P 20021011

OTHER SOURCE(S): MARPAT 140:339123

IT 127882-77-3P 681138-02-3P 681138-04-5P
681138-06-7P 681138-07-8P 681138-08-9P
681138-09-0P 681138-10-3P 681138-13-6P
681138-14-7P 681138-15-8P 681138-16-9P
681138-17-0P 681138-18-1P 681138-19-2P
681138-20-5P 681138-21-6P 681138-22-7P
681138-23-8P 681138-24-9P 681138-25-0P
681138-26-1P 681138-27-2P 681138-28-3P
681138-29-4P 681138-30-7P 681138-31-8P
681138-32-9P 681138-33-0P 681138-34-1P
681138-35-2P 681138-36-3P 681138-37-4P
681138-38-5P 681138-39-6P 681138-40-9P
681138-41-0P 681138-42-1P 681138-43-2P
681138-44-3P 681138-45-4P 681138-46-5P
681138-47-6P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU
(Therapeutic use); BIOL (Biological study); PREP (Preparation); USES
(Uses)


(preparation of **podophyllotoxin** derivs. as anticancer compds.)

RN 127882-77-3 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-
(4-hydroxy-3,5-dimethoxyphenyl)-9-(3-quinolinylamino)-, (5R,5aR,8aS,9S)-
(9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).


10/685,870



RN 681138-02-3 CAPLUS

CN L-Tryptophan, N-[[2-[[[(5S,5aS,8aR,9R)-5,5a,6,8,8a,9-hexahydro-9-(4-hydroxy-3,5-dimethoxyphenyl)-8-oxofuro[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-5-yl]amino]-4-thiazolyl]acetyl]-, ethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 681138-04-5 CAPLUS

CN L-Phenylalanine, N-[[6-[[[(5S,5aS,8aR,9R)-5,5a,6,8,8a,9-hexahydro-9-(4-hydroxy-3,5-dimethoxyphenyl)-8-oxofuro[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-5-yl]amino]-3-pyridinyl]carbonyl]-, ethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/685,870



RN 681138-06-7 CAPLUS

CN 4-Thiazoleacetamide, 2-[[[(5S,5aS,8aR,9R)-5,5a,6,8,8a,9-hexahydro-9-(4-hydroxy-3,5-dimethoxyphenyl)-8-oxofuro[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-5-yl]amino]-N-[3-(4-morpholinyl)propyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 681138-07-8 CAPLUS

CN Benzeneacetic acid, α -[[[2-[[[(5S,5aS,8aR,9R)-5,5a,6,8,8a,9-hexahydro-9-(4-hydroxy-3,5-dimethoxyphenyl)-8-oxofuro[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-5-yl]amino]-4-thiazolyl]acetyl]amino]-, ethyl ester, (α S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 681138-08-9 CAPLUS

CN 4-Thiazoleacetamide, N-[[[(1,1-dimethylethyl)diphenylsilyl]oxy]-2-
[[(5S,5aS,8aR,9R)-5,5a,6,8,8a,9-hexahydro-9-(4-hydroxy-3,5-
dimethoxyphenyl)-8-oxofuro[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-5-yl]amino]-
(9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 681138-09-0 CAPLUS

CN 4-Thiazoleacetamide, 2-[[(5S,5aS,8aR,9R)-5,5a,6,8,8a,9-hexahydro-9-(4-hydroxy-3,5-dimethoxyphenyl)-8-oxofuro[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-5-yl]amino]-N-hydroxy- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/685,870



RN 681138-10-3 CAPLUS

CN 4-Thiazoleacetic acid, 2-[[[(5S,5aS,8aR,9R)-5,5a,6,8,8a,9-hexahydro-9-(4-hydroxy-3,5-dimethoxyphenyl)-8-oxofuro[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-5-yl]amino]-, methyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 681138-13-6 CAPLUS

CN 3-Pyridinecarboxylic acid, 6-[[[(5S,5aS,8aR,9R)-5,5a,6,8,8a,9-hexahydro-9-(4-hydroxy-3,5-dimethoxyphenyl)-8-oxofuro[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-5-yl]amino]-, ethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/685,870



RN 681138-14-7 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-[(3-methyl-5-isothiazolyl)amino]-, (5R,5aR,8aS,9S) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 681138-15-8 CAPLUS

CN 5-Thiazolecarboxylic acid, 2-[[[(5S,5aS,8aR,9R)-5,5a,6,8,8a,9-hexahydro-9-(4-hydroxy-3,5-dimethoxyphenyl)-8-oxofuro[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-5-yl]amino]-4-methyl-, ethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/685,870



RN 681138-16-9 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-[(5-nitro-2-thiazolyl)amino]-, (5R,5aR,8aS,9S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 681138-17-0 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-[(5-nitro-2-pyridinyl)amino]-, (5R,5aR,8aS,9S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/685,870



RN 681138-18-1 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-[[5-(methylthio)-1,3,4-thiadiazol-2-yl]amino]-, (5R,5aR,8aS,9S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 681138-19-2 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 9-[(5-ethyl-1,3,4-thiadiazol-2-yl)amino]-5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-, (5R,5aR,8aS,9S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/685,870



RN 681138-20-5 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-[[5-(methylthio)-1H-1,2,4-triazol-3-yl]amino]-, (5R,5aR,8aS,9S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 681138-21-6 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 9-[(3,5-dibromo-2-pyridinyl)amino]-5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-, (5R,5aR,8aS,9S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/685,870



RN 681138-22-7 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-(1H-tetrazol-5-ylamino)-, (5R,5aR,8aS,9S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 681138-23-8 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-[(1-methyl-1H-benzimidazol-2-yl)amino]-, (5R,5aR,8aS,9S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/685,870



RN 681138-24-9 CAPLUS

CN 1H-Pyrazole-4-carboxylic acid, 3-[[[(5S,5aS,8aR,9R)-5,5a,6,8,8a,9-hexahydro-9-(4-hydroxy-3,5-dimethoxyphenyl)-8-oxofuro[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-5-yl]amino]-, ethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 681138-25-0 CAPLUS

CN 1H-Pyrazole-4-carboxylic acid, 5-[[[(5S,5aS,8aR,9R)-5,5a,6,8,8a,9-hexahydro-9-(4-hydroxy-3,5-dimethoxyphenyl)-8-oxofuro[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-5-yl]amino]-1-methyl-, ethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/685,870



RN 681138-26-1 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 9-[(5-amino-1H-pyrazol-3-yl)oxy]-5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-, (5R,5aR,8aR,9S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 681138-27-2 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 9-(1H-benzotriazol-1-yloxy)-5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-, (5R,5aR,8aR,9S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/685,870



RN 681138-28-3 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-(1H-1,2,4-triazol-3-ylamino)-, (5R,5aR,8aS,9S) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 681138-29-4 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-[(3-methyl-5-isoxazolyl)amino]-, (5R,5aR,8aS,9S) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/685,870



RN 681138-30-7 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-[[4-(2-hydroxyethyl)-2-thiazolyl]amino]-, (5R,5aR,8aS,9S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 681138-31-8 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-[(6-methyl-2-benzothiazolyl)amino]-, (5R,5aR,8aS,9S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/685,870



RN 681138-32-9 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-[(5-nitro-1,2-benzisothiazol-3-yl)amino]-, (5R,5aR,8aS,9S) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 681138-33-0 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 9-[[6-(diethylamino)-3-pyridinyl]amino]-5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-, (5R,5aR,8aS,9S) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/685,870



RN 681138-34-1 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-[[5-(trifluoromethyl)-1,3,4-thiadiazol-2-yl]amino]-, (5R,5aR,8aS,9S)- (9CI) (CA INDEX NAME)



Absolute stereochemistry.



RN 681138-35-2 CAPLUS

CN 3-Pyridinecarboxamide, N-(2-chloro-4-pyridinyl)-6-[[[(5S,5aS,8aR,9R)-5,5a,6,8,8a,9-hexahydro-9-(4-hydroxy-3,5-dimethoxyphenyl)-8-oxofuro[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-5-yl]amino]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 681138-36-3 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 9-(2,1,3-benzothiadiazol-4-ylamino)-5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-, (5R,5aR,8aS,9S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/685,870



RN 681138-37-4 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 9-[(5-chloro-2-benzoxazolyl)amino]-5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-, (5R,5aR,8aR,9S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 681138-38-5 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-[(5-nitro-2-pyridinyl)oxy]-, (5R,5aR,8aR,9S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/685,870



RN 681138-39-6 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 9-[(2,3-dihydro-2-thioxo-6-benzothiazolyl)amino]-5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-, (5R,5aR,8aS,9S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 681138-40-9 CAPLUS

CN Acetamide, 2-chloro-N-[4-[(5S,5aS,8aR,9R)-5,5a,6,8,8a,9-hexahydro-9-(4-hydroxy-3,5-dimethoxyphenyl)-8-oxofuro[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-5-yl]amino]-3-methyl-5-isothiazolyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/685,870



RN 681138-41-0 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-[[4-(hydroxymethyl)-2-thiazolyl]amino]-, (5R,5aR,8aS,9S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 681138-42-1 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5-[3,5-dimethoxy-4-(phosphonooxy)phenyl]-5,8,8a,9-tetrahydro-9-[[4-[2-(phosphonooxy)ethyl]-2-thiazolyl]amino]-, (5R,5aR,8aS,9S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/685,870



RN 681138-43-2 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-(1H-indol-5-ylamino)-, (5R,5aR,8aS,9S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 681138-44-3 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-[(1-methyl-3-phenyl-1H-pyrazol-5-yl)amino]-, (5R,5aR,8aS,9S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/685,870



RN 681138-45-4 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-[[4-(4-methoxyphenyl)-2-thiazolyl]amino]-, (5R,5aR,8aS,9S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 681138-46-5 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-[(3-methyl-1,2,4-oxadiazol-5-yl)amino]-, (5R,5aR,8aS,9S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/685,870



RN 681138-47-6 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 9-[[6-
[(difluoromethyl)thio]-2-benzothiazolyl]amino]-5,8,8a,9-tetrahydro-5-(4-
hydroxy-3,5-dimethoxyphenyl)-, (5R,5aR,8aS,9S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




IT 681138-01-2 681138-03-4 681138-05-6
681138-12-5

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL
(Biological study); USES (Uses)
(preparation of podophyllotoxin derivs. as anticancer compds.)

RN 681138-01-2 CAPLUS

CN L-Tryptophan, N-[[2-[[[(5S,5aS,8aR,9R)-5,5a,6,8,8a,9-hexahydro-9-(4-hydroxy-
3,5-dimethoxyphenyl)-8-oxofuro[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-5-
yl]amino]-4-thiazolyl]acetyl]-, methyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 681138-03-4 CAPLUS

CN L-Phenylalanine, N-[[2-[[[(5S,5aS,8aR,9R)-5,5a,6,8,8a,9-hexahydro-9-(4-hydroxy-3,5-dimethoxyphenyl)-8-oxofuro[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-5-yl]amino]-4-thiazolyl]acetyl]-, methyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 681138-05-6 CAPLUS

CN Glycine, N-[[2-[[[(5S,5aS,8aR,9R)-5,5a,6,8,8a,9-hexahydro-9-(4-hydroxy-3,5-dimethoxyphenyl)-8-oxofuro[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-5-yl]amino]-4-thiazolyl]acetyl]-, methyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.


10/685,870



RN 681138-12-5 CAPLUS

CN 4-Thiazoleacetic acid, 2-[[[(5S,5aS,8aR,9R)-5,5a,6,8,8a,9-hexahydro-9-(4-hydroxy-3,5-dimethoxyphenyl)-8-oxofuro[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-5-yl]amino]-, ethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.




IT 16477-16-0P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of **podophyllotoxin** derivs. as anticancer compds.)


RN 16477-16-0 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 9-bromo-5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-, (5R,5aR,8aR,9S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



GI



I



II

AB **Podophyllotoxin** derivs., such as I [R1, R2, R3, R7 = H, alkyl; R4, R6 = alkyl; R5 = H, P(O)(ORa)2; Ra = H, alkyl; T = H; XT = :N; X = bond, O, S, NRb; Rb = H, alkyl; Y = 5-membered heteroaryl or heterocyclyl, optionally substituted with one or more halogen, alkyl, cyclyl, aryl, heteroaryl, heterocyclyl, etc.], were prepared for their therapeutic use as anticancer agents. Thus, **podophyllotoxin** derivative II was prepared via a multistep synthetic sequence starting from 4'-demethyl-4 β -bromo-4-**desoxypodophyllotoxin** (prepared from **podophyllotoxin**), 2-aminothiazole-4-acetic acid and (trimethylsilyl)diazomethane. II showed unexpectedly high levels of cellular protein-linked DNA breaks (PLDB) induction in KB cells when tested at 5 μ g/mL. This invention also features a method for treating **cancer**.

L10 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2000:244282 CAPLUS

DOCUMENT NUMBER: 133:53317

TITLE: Characterization of human lung **cancer** cells resistant to 4'-O-demethyl-4 β -(2"-nitro-4"-

fluoroanilino)-4-**desoxypodophyllotoxin**, a unique compound in the epipodophyllotoxin antitumor class

AUTHOR(S): Tachibana, Yoko; Zhu, Xiao-Kang; Krishnan, Preethi; Lee, Kuo-Hsiung; Bastow, Kenneth F.

CORPORATE SOURCE: Division of Medicinal Chemistry and Natural Products, School of Pharmacy, University of North Carolina at Chapel Hill, Chapel Hill, NC, 27599, USA

SOURCE: Anti-Cancer Drugs (2000), 11(1), 19-28
CODEN: ANTDEV; ISSN: 0959-4973

PUBLISHER: Lippincott Williams & Wilkins

DOCUMENT TYPE: Journal

LANGUAGE: English


IT 29767-20-2, Teniposide 33419-42-0, VP-16
127882-73-9, GL-331 276867-26-6

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(characterization of human lung **cancer** cells resistant to 4'-O-demethyl-4 β -(2"-nitro-4"-fluoroanilino)-4-**desoxypodophyllotoxin**)

RN 29767-20-2 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-[[4,6-O-[(R)-2-thienylmethylene]- β -D-glucopyranosyl]oxy]-, (5R,5aR,8aR,9S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).




RN 33419-42-0 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 9-[[4,6-O-(1R)-ethylidene- β -D-glucopyranosyl]oxy]-5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-, (5R,5aR,8aR,9S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).


10/685,870



RN 127882-73-9 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-9-[(4-nitrophenyl)amino]-, (5R,5aR,8aS,9S) - (9CI) (CA INDEX NAME)


Absolute stereochemistry.




RN 276867-26-6 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 9-[(4-fluoro-2-nitrophenyl)amino]-5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-, (5R,5aR,8aS,9S) - (9CI) (CA INDEX NAME)

Absolute stereochemistry.



GI



I

AB A new semi-synthetic **podophyllotoxin** derivative, 4'-O-demethyl-4 β -(2"-nitro-4"-fluoroanilino)-4-**desoxypodophyllotoxin** (compound 1, I, R1= NO₂, R2= F), an analog of GL-331 (compound 2, I, R1= H, R2= NO₂), is a potent and broad-spectrum inhibitor of cultured human **cancer** and drug-resistant cell growth. In general, 4'-demethylepipodophyllotoxin analogs, including 2, exert anti-tumor activity by targeting the nuclear enzyme DNA topoisomerase II, but 1 is not an enzyme inhibitor. Unlike the cytotoxic activity of compound 2, cell killing by 1 is dose-limiting and a significant fraction of cells (30-40%) survive treatment. As an approach to investigate mechanism of action, 1-resistant A549 (human lung **cancer**) sub-lines were selected and characterized. Results of the work show that 1-resistant cells: (i) are moderately cross-resistant (2- to 3-fold) to various cytotoxic drugs via a P-glycoprotein-independent

mechanism, (ii) have an altered growth habit, (iii) are deficient in normal attachment on plastic and collagen substrata, and (iv) have an altered plasma membrane protein composition including several proteins in the 140->200 kDa mol. mass range and a doublet of phosphoserine-containing proteins of about 135 kDa. Since 1 treatment of cells affects neither cellular attachment or membrane-protein phosphorylation, the changes observed in 1-resistant cells are interpreted as a survival response to drug action.

REFERENCE COUNT: 34 THERE ARE 34 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1996:355809 CAPLUS

DOCUMENT NUMBER: 125:48601

TITLE: Antitumor activity of a novel **podophyllotoxin** derivative (TOP-53) against lung **cancer** and lung metastatic **cancer**

AUTHOR(S): Utsugi, Teruhiro; Shibata, Hiro; Kumio, Sugimoto; Aoyagi, Kumio; Wierzba, Konstanty; Kobunai, Takashi; Terada, Tadafumi; Oh-hara, Tomoko; Tsuruo, Takashi; Yamada, Yuji

CORPORATE SOURCE: Hanno Res. Center, Taiho Pharmaceutical Co., Ltd., Saitama, 357, Japan

SOURCE: Cancer Research (1996), 56(12), 2809-2814
CODEN: CNREA8; ISSN: 0008-5472

PUBLISHER: American Association for Cancer Research

DOCUMENT TYPE: Journal

LANGUAGE: English



IT 148262-19-5, TOP 53

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(antitumor activity of a novel **podophyllotoxin** derivative (TOP-53) against lung **cancer** and lung metastatic **cancer** in relation to topoisomerase II inhibition and DNA strand breaks)

RN 148262-19-5 CAPLUS

CN Furo[3',4':6,7]naphtho[2,3-d]-1,3-dioxol-6(5aH)-one, 9-[2-[[2-(dimethylamino)ethyl]methylamino]ethyl]-5,8,8a,9-tetrahydro-5-(4-hydroxy-3,5-dimethoxyphenyl)-, (5R,5aR,8aR,9S)- (9CI) (CA INDEX NAME)



AB We synthesized a potent new antitumor **podophyllotoxin** derivative (4β-aminoalkyl-4'-O-demethyl-4- **desoxypodophyllotoxin**;

10/685,870

TOP-53) in our search for a drug that has strong activity against lung **cancer** and lung metastatic **cancer**. TOP-53 exhibited twice the inhibitory activity of etoposide (VP-16) against topoisomerase II and induced DNA strand breaks but showed no inhibitory activity against tubulin polymerization. The in vitro cytotoxic activity of TOP-53 assessed as IC50 was 0.016-0.37 ug/mL and 0.26-8.9 µg/mL against murine tumor and human non-small cell lung **cancer** (NSCLC) cell lines, resp. TOP-53 exerted significant efficacy equivalent to that of VP-15 on s.c.-implanted murine solid tumors (Colon 26, B16-BL6, and Lewis lung carcinoma) doses 3-5 times lower than that of VP-16. In human tumor xenografts using NSCLC, TOP-53 was active for four of five tumors, whereas VP-15 was active for two of five tumors. Potent inhibitory activity of TOP-53 was also found against a lung tumor (Lewis lung carcinoma) and four lung metastatic tumors (NL-22 and NL-17 colon **cancer**, UV2237M fibrosarcoma, and K1735M2 melanoma). TOP-53 appeared to be more active against four of them than VP-16. Thus, TOP-53 is not only active against s.c. implanted lung **cancers** but also strongly active against lung localized tumor and metastatic tumors in the lungs. The high selectivity of TOP-53 was attributed to its high distribution into the lung and its persistence. TOP-53 is expected to be highly effective against lung **cancer** including NSCLC and various lung metastatic tumors in the clin. field.

=> log y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	16.54	199.35
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-2.10	-2.80

STN INTERNATIONAL LOGOFF AT 17:14:54 ON 09 DEC 2004